

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 December 2004 (23.12.2004)

PCT

(10) International Publication Number
WO 2004/111871 A1

(51) International Patent Classification⁷: **G06F 17/30**,
H04L 9/00, G06F 17/27, 3/023

Garrett [CA/CA]; 11 Edenstone View N.W., Calgary,
Alberta T3A 3Z2 (CA).

(21) International Application Number:
PCT/CA2004/000897

(74) Agent: **MACRAE & CO.**; P.O. Box 806, Station B, Ot-
tawa, Ontario K1P 5T4 (CA).

(22) International Filing Date: 18 June 2004 (18.06.2004)

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/479,070 18 June 2003 (18.06.2003) US

(71) Applicant (*for all designated States except US*): **ZI COR-
PORATION** [CA/CA]; Suite 2100, 840 - 7th Avenue SW,
Calgary, Alberta T2P 3G2 (CA).


(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): **SIMPSON, Todd**,

[Continued on next page]

(54) Title: CONFIGURABLE INFORMATION IDENTIFICATION SYSTEM AND METHOD



(57) Abstract: A system and a method of retrieving information is described. In a system according to the invention, software modules may be used to provide the user with information that is most likely to be the information desired.

WO 2004/111871 A1



European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

Published:

— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

CONFIGURABLE DYNAMIC INPUT WORD PREDICTION ALGORITHM

Cross-Reference to Related Application

(0001) This application claims the benefit of priority to pending U.S. provisional
5 patent application serial number 60/479,070 filed on June 18, 2003.

Field Of The Invention

(0002) The invention relates to systems and methods of retrieving information. The invention may be particularly useful on small computing devices, such as mobile personal appliances like cellular telephones (cell phones) or personal digital assistants (PDAs).

10 Background Of The Invention

(0003) Computers have enabled people to rapidly access a large amount of data. The hardware and software that comprise a computer have evolved to a level that may result in providing a user with an overwhelming amount of information. The amount of information provided to a user may make it difficult for the user to identify a desired piece of information.
15 Efforts to categorize and organize the information provided to a user have been made, and many of these efforts have resulted in systems and methods which assist the user in identifying desired information. Such systems and methods often rely on the speed of the processors or the manner in which the software code is executed to provide the information in a logical manner within a time frame that is acceptable to the typical user.

20 Summary Of The Invention

(0004) The invention may be an information identification system which has software modules and hardware capable of being controlled by the software modules to identify information that may be desired by a user. The software modules may include a
25 platform-framework software module, a data-type software module, a service-descriptor software module, a first information-search software module, and a second information-search software module. The hardware in a system according to the invention may include a processor capable of executing the software modules, or more than one processor, each

capable of executing at least one of the software modules. The system may also include a user interface that is capable of providing information to the user.

5 (0005) A method according to the invention may receive input from a user, identify types of data that might be returned to the user, identify valid actions corresponding to each type of data, identify a first set of information corresponding to a first identified valid action, identify a second set of information corresponding to a second identified valid action, and provide sets of information to the user. The types of data may be identified from one or more lists of data types, and the valid actions may be identified from one or more lists of actions.

Drawings:

10 (0006) For a fuller understanding of the nature and objects of the invention, reference should be made to the following detailed description taken in conjunction with the accompanying drawings, in which:

(0007) Figure 1 is a schematic representation of software modules and their possible interaction in a system according to the invention.

15 (0008) Figure 2 is a schematic flow diagram showing steps of a method according to the invention.

Detailed Description

(0009) The present invention may include a system having one or more processors capable of executing software modules. The system may include one or more of the
20 following software modules: (a) a platform-framework software module 10, (b) a data-type software module 13, (c) a service-descriptor software module 16, (d) a first information-search software module 16 and (e) a second information-search software module 22. Each of these software modules is described in more detail below.

(0010) The platform-framework software module 10 may have executable
25 instructions to receive input from a user. For example, the input may be a signal resulting from the user pressing a key on a cell phone key pad the key having the number "2" followed by the key having the number "2." The user may or may not intend to enter the number "22" by pressing the key in such a fashion. For example, the key having the number "2" may represent letters or punctuation. In one common arrangement, the key having the number "2"

also represents the letters "A", "B" and "C." In such a situation, pressing the key having the "2" followed by a second press of that key may represent "AB" rather than "22". Such might be the case if the user is attempting to enter the words "Abraham Lincoln". It should be noted that the user may be trying to enter a combination of numbers (e.g. "22"), letters (e.g. "AB", or a combination of letters and numbers (e.g. "A2").

(0011) The platform-framework software module 10 may have executable instructions to coordinate activities of other software modules. For example, the platform-framework software module 10 may signal the data-type software module 13 to begin identifying data-types, and may provide the data-type software module 13 with the input from the user. Figure 1 illustrates one possible format by which the software modules may be in communication with each other. It should be noted that many other possible formats are possible.

(0012) A job of the system may be to provide the user with information corresponding to the keys pushed by the user before the user is finished entering all the key pushes needed to complete the desired entry. So, the user might push twice the key with the "2" on it, and the system might react by providing the user with information in hopes that the provided information includes the entry the user is attempting to identify. For example, the system might provide a list of phone numbers that start with "22", a list of words that start with "AB", "AC", "BA", "BC", "CA" and "CB", as well as a list of alpha-numeric information, which may include phrases like "A2, Brute?".

(0013) The data-type software module 13 may have executable instructions to identify types of data that might be returned to the user. The types of data may be selected from a list of possible types of data based on input from the user. For example, the types of data may include phone numbers, universal resource locators, names of human beings, names of locations or addresses.

(0014) The service-descriptor software module 16 may include executable instructions to identify valid actions corresponding to each identified type of data. The valid actions may be selected from a list of possible actions. Valid actions may include searching a database of phone numbers, searching a database of universal resource locators, searching a database of names of human beings, searching a database of names of locations, searching a database of addresses, or searching one or more language dictionaries.

(0015) The first information-search software module 19 may include executable instructions to identify a first set of information corresponding to a first one of the identified valid actions. For example, the software module may include instructions to parse a database corresponding to a first type of data in an effort to identify information for the first set of information.

(0016) The second information-search software module 22 may include executable instructions to identify a second set of information corresponding to a second one of the identified valid actions. For example, the software module may include instructions to parse a database corresponding to a second type of data in an effort to identify information for the second set of information. From Figure 1 it will be realized that other software modules may be provided. The number and types of software modules may be selected based on expected uses of the system.

(0017) A user interface may be provided. The user interface may be capable of providing the sets of information to the user such that the first set of information is more easily accessed by the user than the second set of information. For example, the first set of information may be listed at the top of a display and the second set of information may be listed at the bottom of a display, and a cursor may be provided at the top of the display. In that fashion, the user may find it easier to identify information in the first set of information than in the second set of information because the user will be required to move the cursor a shorter distance to identify information in the first set.

(0018) The invention may also include a platform-aware software module 25 having executable instructions to identify an environment in which the user is providing input. For example, an environment may be an internet browser, intended to enable the user to interact with the Internet. As another example, the environment may be a dialer, which may be intended for use in entering a phone number to which the user desires to be connected. In such an embodiment of the invention, the data-type software module 13 may include executable instructions to identify an environment and to select types of data based on the environment. For example, if the environment is the dialer, the data-type software module may identify phone number data types and identify a preference for phone number data types over other data types, such as words or phrases. By identifying a preference and associating

that preference with a data type, the user may be provided with phone numbers in a manner that makes it easier for the user to select a desired phone number.

(0019) The invention may include a duplicate-identifier software module 28, which has executable instructions to identify duplicate information. The duplicate information may
5 be information that appears in both the first set of information and the second set of information. The duplicate-identifier software module may also include executable instructions to remove the duplicate information from one of the sets, for example the second set of information. In this fashion, the user may be provided with shorter lists of information, and thereby make selection of a desired piece of information easier.

10 (0020) A system according to the invention may have the ability to learn preferences of a user. By learning those preferences, the system may configure itself so as to increase the probability that the system will provide the user with the information desired by the user. A learning software module 31 may be provided this or other purposes. The learning module may have executable instructions to track preferences of the user and determine from the
15 preferences whether the sets of information should be provided to the user in a particular order. For example, the user may normally use his cell phone such that words and phrases are entered more often than phone numbers, and in that situation, it may be beneficial to provide the user with words and phrases at the top of a list of information, and provide phone numbers further down the list. As such, the system may provide a set of information
20 corresponding to words in a manner that is more easily accessed by the user than another set of information corresponding to phone numbers.

(0021) Another manner of tracking preferences may be to track how recently a piece of information was selected. The system may identify recently selected information as having a higher preference than information that has not recently been selected, and provide
25 the recently selected information in manner that is easier to access than information that has not been recently selected.

(0022) The invention may be embodied as a method. Figure 2 schematically illustrates a method according to the invention. In one such method input is received 200 from a user, and types of data that might be returned to the user are identified 203. The types
30 of data may be selected from a list of possible types of data based on the input from the user. Examples of some of the possible types of data were given above.

(0023) Such a method may also identify 206 valid actions corresponding to each identified type of data. The valid actions may be selected from a list of possible actions. Examples of valid actions are given above. A first set of information, which corresponds to a first identified valid action, may be identified 209. For example, a database of information
5 may be parsed to identify the first set of information. A second set of information, which corresponds to the second identified valid action, may be identified 212. For example, a database of information may be parsed to identify the second set of information. Then the sets of information may be provided 215 to the user. The first set of information may be provided 215 to the user such that it is more easily accessed by the user than the second set of
10 information.

(0024) A method according to the invention may identify an environment in which the user is providing input. That information may be used to select types of data based on the environment. For example, environments that may be identified may include a browser, such as an Internet browser, or a dialer used to input a telephone number. By knowing the
15 environment in which the user is providing the input, the method should be better able to provide the user with the desired information in a manner that makes the desired information easy to access. Further, by knowing the environment, the method may include a step in which the ordering of the first set of information and the second set of information is modified based on the environment. As an example, if the user pushes the key marked with
20 "2" followed by the key marked with "2", and the method is executed so as to gather information about the environment in which those keys were pushed, the system may react differently depending on the environment. If "2" followed by "2" is pushed in a dialer environment, then the method may provide phone numbers as the first set of information and names as the second set of information. But if the environment is an Internet browser, then
25 the method may be executed so as to provide names as the first set of information and phone numbers as the second set of information. Indicating a preference based on environment may be accomplished by identifying a preference for a first data-type over a second data-type, or by indicating a preference for information derived from a first valid action over a second valid action. A further way to indicate a preference may be to indicate a preference for
30 information derived from the first information-search software module over information derived from the second information-search software module. Combinations of the ways of indicating a preference may also be employed.

(0025) The method may also be executed to include a step in which duplicate information is identified. The duplicate information may be information that appears in both the first set of information and the second set of information. Once identified, the duplicate information may be removed from one of the sets, for example, the second set of information.

5 In doing so, the user may find it easier to identify desired information from a list of information.

(0026) The method may provide steps designed to track preferences of the user. If the user's preferences are known, a determination may be made as to how to provide the sets of information to the user, or how to provide particular pieces of information to the user, even
10 if those pieces of information are in the same set. For example, a determination may be made to provide the second set of information so the user may more easily access the second set of information than the first set of information. There are many ways to track a user's preferences, and one such way is to track the frequency with which the user selects information from the sets. If a particular set of information is selected more frequently, the
15 method may recognize that such a set is preferred, and then the method may be executed to display information from that set so it is more easily accessed by the user than information originating from other sets. Further, the method may be executed to track the frequency with which the user selects a particular piece of information from a set, and display that piece of information to the user so as to make it easier for the user to select that piece of information
20 from other information that may be provided to the user. It should be noted that the method may be executed to organize sets of information to make selection by the user easier, the method may be executed so as to make selection of particular pieces of information easier for the user's selection, or both.

(0027) Having described systems and methods according to the invention, it should
25 now be apparent that such systems and methods are configurable. For example, the systems and methods described above are capable of being configured to accommodate the preferences of different users, and are configurable to based on the environment in which a user is providing input. It should be noted that while many software modules may be provided in an effort to accommodate the many possible types of data and/or valid actions,
30 not all of the software modules need be used for every input. For a particular entry, a system according to the invention utilize only some of the possible software modules.

(0028) In providing a configurable system according to the invention or executing a configurable method according to the invention, the user should find it easier to locate information desired by the user, and information should be provided to the user in many instances after executing fewer instructions than are required by prior art systems and methods. By executing fewer instructions, information may be provided to the user faster, or may be provided by using a less expensive computer, or both.

(0029) Although the present invention has been described with respect to one or more particular embodiments, it will be understood that other embodiments of the present invention may be made without departing from the spirit and scope of the present invention. Hence, the present invention is deemed limited only by the appended claims and the reasonable interpretation thereof.

CLAIMS

What is claimed is:

1. An information identification system, comprising:

5 a platform-framework software module which includes executable instructions to receive input from a user;

a data-type software module which includes executable instructions to identify types of data that might be returned to the user, the types of data being selected from a list of possible types of data based on input from the user;

10 a service-descriptor software module which includes executable instructions to identify valid actions corresponding to each identified type of data, the valid actions being selected from a list of possible actions;

a first information-search software module which includes executable instructions to identify a first set of information corresponding to a first one of the identified valid actions;

15 a second information-search software module which includes executable instructions to identify a second set of information corresponding to a second one of the identified valid actions;

a processor, capable of executing at least one of the software modules; and

a user interface, capable of providing the sets of information to the user such that the first set of information is more easily accessed by the user than the second set of information.

20 2. The system of claim 1, further comprising a platform-aware software module which includes executable instructions to identify an environment in which the user is providing input.

3. The system of claim 2, wherein the data-type software module includes executable instructions to select the types of data based on the environment.

25 4. The system of claim 1, wherein the types of data include phone numbers.

5. The system of claim 1, wherein the types of data include universal resource locators.

6. The system of claim 1, wherein the types of data include names of human beings.
7. The system of claim 1, wherein the types of data include names of locations.
8. The system of claim 1, wherein the types of data include searching addresses.
9. The system of claim 1, wherein the valid actions include searching a data base of phone
5 numbers.
10. The system of claim 1, wherein the valid actions include searching a data base of universal resource locators.
11. The system of claim 1, wherein the valid actions include searching a data base of names of human beings.
- 10 12. The system of claim 1, wherein the valid actions include searching a data base of names of locations.
13. The system of claim 1, wherein the valid actions include searching a data base of addresses.
14. The system of claim 1, wherein the executable instructions of the first information search
15 software module include instructions to parse a database of information from which the first set of information is identified.
15. The system of claim 1, further comprising a duplicate-identifier software module, which includes executable instructions to identify duplicate information, the duplicate information being information that appears in the first set of information and the second set of
20 information.
16. The system of claim 15, wherein the duplicate-identifier software module includes executable instructions to remove the duplicate information from the second set of information.
17. The system of claim 1, further comprising a learning software module, which includes
25 executable instructions to track preferences of the user and determine from the preferences whether the sets of information should be provided to the user such that the second set of information is more easily accessed by the user than the first set of information.

18. A method of identifying information, comprising:

receiving input from a user;

identifying types of data that might be returned to the user, the types of data being selected from a list of possible types of data based on the input from the user;

5 identifying valid actions corresponding to each type of data identified, the valid actions being selected from a list of possible actions;

identifying a first set of information corresponding to a first one of the valid actions;

identifying a second set of information corresponding to a second one of the valid actions;

10 providing the sets of information to the user such that the first set of information is more easily accessed by the user than the second set of information.

19. The method of claim 18, further comprising identifying an environment in which the user is providing input.

20. The method of claim 18, further comprising identifying an environment and selecting
15 types of data based on the environment.

21. The method of claim 18, further comprising parsing a database of information from which the first set of information is identified.

22. The method of claim 18 further comprising identifying duplicate information, the duplicate information being information that appears in the first set of information and the
20 second set of information.

23. The method of claim 22, further comprising removing the duplicate information from the second set of information.

24. The method of claim 18, further comprising tracking preferences of the user and determining from the preferences whether the sets of information should be provided to the
25 user such that the second set of information is more easily accessed by the user than the first set of information.

25. The method of claim 24, wherein tracking preferences is accomplished by tracking the frequency with which the user selects information from the sets.

26. The method of claim 24, wherein tracking preferences is accomplished by tracking the recently selected information from the sets.




FIG. 1

2/2




FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/CA2004/000897

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F17/30 H04L9/00 G06F17/27 G06F3/023

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 1 031 913 A (NOKIA MOBILE PHONES LTD) 30 August 2000 (2000-08-30) paragraph '0001! - paragraph '0008! paragraph '0016! - paragraph '0039!	1-26
X	US 5 818 437 A (GROVER DALE L ET AL) 6 October 1998 (1998-10-06) column 1, line 33 - column 3, line 14; claims; figures 3,10	1-26
A	US 5 953 541 A (GRUNBOCK CHERYL A ET AL) 14 September 1999 (1999-09-14) abstract; claims; figures	1-26
A	EP 1 259 051 A (TENOVIS GMBH & CO KG) 20 November 2002 (2002-11-20) paragraph '0034! - paragraph '0038! paragraph '0045! - paragraph '0047!	1-26
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

° Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

12 November 2004

Date of mailing of the international search report

23/11/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Jaedicke, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA2004/000897

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1 006 704 A (ECI TELECOM LTD) 7 June 2000 (2000-06-07) abstract; claims; figure 1 -----	1-26
A	GB 2 197 097 A (UNIV DUNDEE) 11 May 1988 (1988-05-11) abstract; claims -----	1-26
A	US 2002/198027 A1 (RYDBECK NILS R) 26 December 2002 (2002-12-26) abstract; figure 4 paragraph '0008! - paragraph '0011! -----	1-26

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA2004/000897

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1031913	A	30-08-2000	GB 2347239 A	30-08-2000
			DE 60002244 D1	28-05-2003
			DE 60002244 T2	26-02-2004
			EP 1031913 A2	30-08-2000
			EP 1296216 A1	26-03-2003
			GB 2388938 A , B	26-11-2003
US 5818437	A	06-10-1998	AT 191282 T	15-04-2000
			AU 6714096 A	26-02-1997
			BR 9609807 A	21-12-1999
			CA 2227904 C	14-11-2000
			CN 1195409 A	07-10-1998
			DE 69607472 D1	04-05-2000
			DE 69607472 T2	24-08-2000
			DK 842463 T3	17-07-2000
			EP 0842463 A1	20-05-1998
			ES 2146408 T3	01-08-2000
			HK 1010924 A1	12-01-2001
			JP 2000508093 T	27-06-2000
			PT 842463 T	31-08-2000
			WO 9705541 A1	13-02-1997
			US 6307549 B1	23-10-2001
			US 6011554 A	04-01-2000
US 5953541	A	14-09-1999	AT 225534 T	15-10-2002
			AU 727539 B2	14-12-2000
			AU 6037998 A	18-08-1998
			BR 9807002 A	07-08-2001
			CA 2278549 A1	30-07-1998
			CN 1248333 T	22-03-2000
			DE 69808498 D1	07-11-2002
			DE 69808498 T2	12-06-2003
			DK 1010057 T3	03-02-2003
			EP 1256871 A2	13-11-2002
			EP 1010057 A1	21-06-2000
			ES 2186124 T3	01-05-2003
			JP 2001509290 T	10-07-2001
			PT 1010057 T	28-02-2003
			RU 2206118 C2	10-06-2003
			WO 9833111 A1	30-07-1998
			US 6286064 B1	04-09-2001
EP 1259051	A	20-11-2002	DE 10123045 A1	21-11-2002
			EP 1259051 A1	20-11-2002
EP 1006704	A	07-06-2000	US 6608895 B1	19-08-2003
			AU 757988 B2	13-03-2003
			AU 5828799 A	11-05-2000
			EP 1006704 A2	07-06-2000
			IL 132722 A	06-07-2003
GB 2197097	A	11-05-1988	NONE	
US 2002198027	A1	26-12-2002	WO 03001778 A1	03-01-2003